

FIGURE 1





Figure 2



PROCESS
300

FIGURE 3




FIGURE 5




FIGURE 6






Figure 7






Figure 9

Figure 10A



Discrete Illuminations (TIBS)




Figure 10B







Figure 11

PRI = 20ns



Emitter 3161



Solution 1

Dwell Duration = 12ns
Revisit Time = 40ns

Solution 2


Dwell Duration = 20ns
Revisit Time = 50ns

Figure 12

4000

Emitter Name	Operating Mode 250 MHz IF 15 MHz VCO	Operating Mode 30 MHz IF 15 MHz VCO	RF Min (MHz)	RF Max (MHz)	Modulation (ms)
E1	RV T 100 ns	RV T 650 ns	1000	1300	3
E2	RV T 100 ns	RV T 780 ns	1220	1350	5
E3	RV T 110 ns	RV T 330 ns	1510	1810	2
E4	RV T 130 ns	RV T 390 ns	1730	1860	4

Figure B



Solution 1

	1000	1060	1120	1180	1240	1300	1360	1420	1480	1540	1600	1660	1720	
Dwell 1	Dwell 2	Dwell 3	Dwell 4	Dwell 5	Dwell 6	Dwell 7	Dwell 8	Dwell 9						
DD_{max}	DD_{max}	DD_{max}	DD_{max}	DD_{max}	DD_{max}	DD_{max}	DD_{max}	DD_{max}						
3	3	3	3	3	3	3	5	5						
RVT_{min}	RVT_{min}	RVT_{min}	RVT_{min}	RVT_{min}	RVT_{min}	RVT_{min}	RVT_{min}	RVT_{min}						
650	650	650	650	650	650	650	650	650						
Cost	Cost	Cost	Cost	Cost	Cost	Cost	Cost	Cost						
$\frac{3}{650} + \frac{3}{650} + \frac{3}{650} + \frac{3}{650} + \frac{3}{650} + \frac{3}{650} + \frac{3}{650} + \frac{5}{650} + \frac{5}{650} =$														

Solution 2

$\frac{31}{650} \approx .048$

Figure 14A





Figure 14B

Figure 15





Figure 16



Name	RF Min	RF Max
E1	1100	1200
E2	1150	1250





Figure 17

Figure 18



Emitter	Dwell Duration (ms)	Revisit Time (ms)
Emitter 1	1	500
Emitter 2	2	1200

Figure 19

Emitter	Dwell Duration (ms)	Revisit Time (ms)	Cost
Emitter 1	1	500	.002
Emitter 2	5	1000	.005

Figure 20




Figure 21




Figure 22




Figure 23

9044

Data		
MDT	EDT	RVT
3.05	17	2868
3	19	2000
3	19	2000
1	7	500
2	9	700
2.3	11	800
0.5	3.5	1000

Figure 24A

9044

Data		
MDT	EDT	RVT
1	7	500
2	9	700
2.3	11	800
0.5	3.5	1000
3	19	2000
3	19	2000
3.05	17	2868

9048
9049
9050

Figure 24B

Data		
MDT	EDT	RVT
1	7	500
2	9	700
2.3	11	800
3	19	2000
3.05	17	2868

9051
9052

Figure 24C

9044

Data		
MDT	EDT	RVT
2	9	700
2.3	11	800

9046

Solution		
MDT	EDT	RVT
1	19	500

Figure 24D

9044

Data		
MDT	EDT	RVT

9046

Solution		
MDT	EDT	RVT
1	19	500
2	11	700

Figure 24E

9046

Solution		
MDT	EDT	RVT
1	19	500
2	11	700

Figure 24F




Figure 25




Figure 26




Figure 27




Figure 28




Figure 29




Figure 30




Figure 31




Figure 3d